

FIG. 5

11 12 13 14 A A O O O T T C C C W M M P P P P S / # # # M T3 W P R
12 A + A 5 13 13 13 14
12
Z Q M Z H Z
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
0 4-2 00-w
σ <⊢Σ 00-m
∞ < ν σ σ < ∗ σ
► <0000<#≥
© ₹₹₩₽
₩ ₹∑₩ ₹
4 4 5 0 4 %
ω ∢∑m∢ * ν
0 4 X B X 4 + -
L 19 8 8 8 1:4
σ. % .α. # ¬







FIG. 7



Translation Memory SRAM 239 Clack Source CUBIT Transtation Memory SHAM 237 CUBIT Transletion Memory SRAM CUBIT Copy included in each CUBIT Timing Master and BUS Arbiter

Data(32) Clock(2)

Prame ACK CONG

-1G.8

the first think think the state of the first think the state of the first think the first thin

α≥α **# C** 0040 # 6 0040 # ∑ d O w Z a O o z A N G B **#** CC **∢** ∞ • • # ≥ $OO - \omega$ **∢⊢∑** 0 U - m < ⊢ ∑ $O O - \Theta$ 四~思 0 0 **4** E O a. ≱ œ

FIG. 9